

1.0-mil clear polypropylene overlamine. The face film is non-treated, with write-on, write-off capability. May be used as a coupon base in the production of multi-layer promotional labels and coupons or as an overlamine.

Features:

>1.0-mil clear non-treated polypropylene with a permanent adhesive on a 50 gsm bleached glassine liner.

TECHNICAL DATA

Face Material	1.0-mil Polypropylene non-treated
Color and Finish	Gloss clear
Adhesive	Permanent acrylic
Liner	50 gsm glassine white

TYPICAL CHARACTERISTICS

Average Adhesion Values (PSTC-1, 180° peel @ 12"/min., 73°F, on Stainless Steel)	15 min. 1.4 lbs./inch	24 hr. 2.0 lbs./inch
Minimum Application Temperature	50°F	
Service Temperature Range	-40°F to +180°F	
Outdoor Life	1 year	
Shelf Life (@ 73°F, 50% RH)	2 years	

CHEMICAL RESISTANCE

Distilled Water (24 hr)	No Effect
Detergent (24 hr)	No Effect
10% HCl (10 min)	No Effect
10% Ammonium Hydroxide (10 min)	No Effect
Anti-Freeze (24 hr)	No Effect
SAE 20 Motor Oil (24 hr)	No Effect

Applications:

- >Promotional labels
- >Coupons

Available Sizes:

Finished Rolls	Core	Print Side
38" X 150'	2"	PSO
51" X 150'	2"	PSO
54" X 150'	2"	PSO

Disclaimer: The information supplied in this technical sheet is for guidance only and should not be construed as warranty of any kind. This document is not legal binding and is based on average results from current production. Unless otherwise stated, values cannot be considered as minimum to be satisfied. Purchaser is fully responsible for determining the product suitability for its intended application. Technical details are subject to change without prior notice. Please contact *Media One Digital Imaging Solutions, LLC* for any additional information you may require.